Characterizations

Lemma: Let R be a relation over the set A. Then

```
I. R is reflexive iff \Delta_A \subseteq R
```

- 2. R is symmetric iff $R \subseteq R^{-1}$
- 3. R is transitive iff $R^2 \subseteq R$

Important equivalence on \mathbb{Z}

Def. For a natural number n, the relation \equiv_n is defined as

```
\begin{aligned} \mathbf{i} &\equiv_{\mathbf{n}} \mathbf{j} & \text{ iff } \mathbf{n} \mid \mathbf{i} - \mathbf{j} \\ & \text{ [iff } \mathbf{i} \text{-} \mathbf{j} \text{ is a multiple of n ]} \\ & \text{ [iff there exists } \mathbf{k} \in \mathbb{Z} \text{ s.t. i-} \mathbf{j} = \mathbf{k} \cdot \mathbf{n} \text{ ]} \\ & \text{ [iff } \exists \mathbf{k} \left( \mathbf{k} \in \mathbb{Z} \ \land \mathbf{i} \text{-} \mathbf{j} = \mathbf{k} \cdot \mathbf{n} \right) \text{]} \end{aligned}
```

Lemma: The relation \equiv_n is an equivalence for every n.

Equivalences classes

Def. Let R be an equivalence over A and $a \in A$. Then

$$[a]_R = \{ b \in A \mid (a, b) \in R \}$$
 the equivalence class of a

Lemma: Let R be an equivalence over the set A. Then for all $a, b \in A$, $[a]_R = [b]_R$ or $[a]_R \cap [b]_R = \emptyset$

Task: Describe the equivalence classes of \equiv_n How many classes are there?

Unions and intersections of multiple sets

Union (Vereinigung) $A \cup B = \{x \mid x \in A \text{ or } x \in B\}$

AUB

Intersection (Durchschnitt) $A \cap B = \{x \mid x \in A \text{ and } x \in B\}$

A and B are disjoint if $A \cap B = \emptyset$

A ∩ B

In general, for sets $A_1, A_2, ..., A_n$ with $n \ge 1$,

 $A_1 \cup A_2 \cup ... \cup A_n = \bigcup_{1 \le i \le n} A_i = \{x \mid x \in A_i \text{ for some } i \in \{1,...n\}\}$

 $A_1 \cap A_2 \cap ... \cap A_n = \bigcap_{1 \le i \le n} A_i = \{x \mid x \in A_i \text{ for all } i \in \{1,..n\}\}$

Unions and intersections of multiple sets

Union (Vereinigung) $A \cup B = \{x \mid x \in A \lor x \in B\}$

AUB

Intersection (Durchschnitt) $A \cap B = \{x \mid x \in A \land x \in B\}$

A and B are disjoint if $A \cap B = \emptyset$

A ∩ B

In general, for a family of sets $(A_i | i \in I)$

$$\bigcup_{i \in I} A_i = \{x \mid \exists i \in I. x \in A_i\}$$

$$\bigcap_{i \in I} A_i = \{x \mid \forall i \in I. x \in A_i\}$$


Back to equivalence classes

Example: Let R be an equivalence over A and $a \in A$. Then

($[a]_R$, $a \in A$) is a family of sets. — all equivalence classes of R

Lemma E2: $A = \bigcup_{a \in A} [a]_R$. The union is disjoint.

Partitions




Def. Let X be a set. A subset P of the powerset $\mathcal{P}(X)$ is a partition (Klasseneinteilung) of X if it satisfies:

 $(I) \forall A \in P . A \neq \emptyset$

(2) $\forall A, B \in P . A \neq B \Rightarrow A \cap B = \emptyset$

 $(3) \cup_{A \in P} A = X$

that are non-empty,
pairwise disjoint,
and their union equals X



Partitions = Equivalences

Theorem PE: Let X be a set.

- (I) If R is an equivalence on X, then the set $P(R) = \{ [x]_R \mid x \in X \}$ is a partition of X.
- (2) If P is a partition of X, then the relation $R(P) = \{(x,y) \in X \times X \mid \text{there is } A \in P \text{ such that } x,y \in A\}$ is an equivalence relation.

Moreover, the assignments $R \mapsto P(R)$ and $P \mapsto R(P)$ are inverse to each other, i.e., R(P(R)) = R and P(R(P)) = P.

Transitive closure

Let R be a relation on a set X. The transitive closure (transitive Hülle) of R, notation R^+ , is the relation

$$R^+ = \bigcup_{n \in \mathbb{N}, n \neq 0} R^n$$

The reflexive and transitive closure (reflexive und transitive Hülle) of R, notation R^* , is the relation

$$R^* = \bigcup_{n \in \mathbb{N}} R^n$$

Proposition TC: Let R be a relation on X. The transitive closure of R is the smallest transitive relation that contains R. The reflexive and transitive closure of R is the smallest reflexive and transitive relation that contains R.